JOHANSON JOHANSON JOHANSON DIELECTRICS

Johanson Product Information for VPDP302W332K1GV001B

Johanson Company: Johanson Dielectrics inc.	Product Release Date: 03 January, 2006
Deprecated P/N: 302R29W332KV4	Web Page Link: https://www.johansondielectrics.com/high-voltage-
Datasheet Date: 05-20-2024	mlc-capacitors
Description: Capacitors HVS PME, 1808, X7R, 3000V, 3300pF±10%, Ni/Sn (RoHS), Bulk	Size for Capacitors (EIA): 1808
Life Cycle Stage: Active - Production	Thickness (Max): 0.085
Schedule B: 8532	End Band (Min):
ECCN: EAR99	End Band (Max): Standard Item: 1
RoHS Compliance: Yes, RoHS 10/10	Lead Time Typical (Weeks)*:
REACH: 1	*This can vary significantly so it is important to obtain a quotation with lead time for
Product Family: Capacitors	production planning purposes. 10
Product Subfamily: Capacitors High Voltage PME SMD ? 500V	Length (Min): 0.165 Length (Max): 0.205
Capacitance Value: 3300.000	Width (Min): 0.070
Cap Unit of Meas: pF	Width (Max): 0.090
Tolerance: ±10%	Packaging: Bulk
Voltage: 3000.0	Operating Temp Range: -55°C to +125°C
Dielectric Temp Coefficient: X7R	Storage Temp Range (Packaged): -65°C to
Termination: 68	+125°C
Marking: No Mark	Storage Temp Range (Non Operating): +5°C to +40°C with RH 20% to 70%